Statguard[®] Dissipative Neutral Floor Cleaner Application Instructions & SDS





Figure 1. Statguard[®] Dissipative Neutral Floor Cleaner

Description

Statguard[®] Dissipative Neutral Floor Cleaner is formulated to clean floors treated with <u>Statguard[®] Dissipative</u> <u>Floor Finish</u> and <u>Statguard[®] Low-VOC Dissipative Floor</u> <u>Finish</u>, as well as other dissipative or conductive floor tiles and polymer type floor finishes. It is formulated with dissipative agents that will rejuvenate and improve the static dissipative properties of the flooring surface that it is used with without leaving behind residue that can impede dissipation or conductive properties of the flooring material or finish.

Application

The floor cleaner is more aggressive than a damp mop (diluted finish and water or plain water) and does take the gloss down slightly as it cleans the surface*. Heavy to moderate traffic floors can be cleaned once a week. Light traffic floors can be cleaned 2 to 3 times a month or as needed.

Testing a small area for compatibility if Statguard[®] Dissipative Neutral Floor Cleaner has not been used before is recommended.

Storage

Statguard[®] Dissipative Neutral Floor Cleaner does not have a set life span. The chemicals are not known to degrade over time when stored at the proper temperature conditions as stated in the Safety Data Sheet. We also recommend that the product be stored in its original container and be sealed when not in use.

Limited Warranty, Warranty Exclusions, Limit of Liability and RMA Request Instructions

See Desco Industries Inc. Warranty http://www.descoindustries.com/Warranty.aspx

EQUIPMENT NEEDED:

- Push broom
- Clean and untreated mop
- Buckets
- Statguard[®] Dissipative Neutral Floor Cleaner
- 1. Push broom the surface to be cleaned.

2. For damp mop, dilute Statguard[®] Dissipative Cleaner 10 to 1 (five (5) gallons of clean water to two (2) quarts of cleaner concentrate). For scrub use 15 to 1.

3. Thoroughly mix the cleaner solution before damp mop application. Use a clean, untreated mop to damp mop the area. Wring out excess fluid and do not flood a treated floor with water. For a scrubbing machine use 175 to 350 RPM with red pad.

4. Allow 30 to 60 minutes drying time before walking on the cleaned area.

Clean floors treated with Statguard[®] Floor Finish using Statguard[®] Cleaner. Do not damp mop with high alkaline or high residue cleaner. Using harsh detergents can damage a treated floor's static dissipative properties.

Physical Properties (as supplied in concentrate)

Total Solids: 10%

Coverage: 20,000 sq. ft./gallon of concentrate

pH Value: 7.0

Color: Green

Odor: Floral

Freeze/Thaw Stability: Passes three cycles

Drying Time: 30 - 60 min. @ 55% RH

Surface Resistivity: 1 x 10^6 to < 1 x 10^9 ohms/sq. per ASTM D257 @ 100V

RoHS 2, REACH, and Conflict Minerals Statement None of the RoHS 2 restricted materials or REACH substances of very high concern as of 2014/12/17, or Conflict Minerals are intentionally added in manufacturing this product. Ref: European Union Directive 2011/65/EU and Regulation (EC) No. 1907/2006/CE. See Desco Limited Warranty at DescoIndustries.com.

DESCO INDUSTRIES INC. • 3651 Walnut Avenue, Chino, CA 91710 • (909) 627-8178 • Web Site: Descolndustries.com

Safety Data Sheet

May be used to comply with ANSI Z400.1-2004, 29 CFR 1910.1200, Regulation (EC) No 1272/2008 (CLP Regulation), and GHS. Standard must be consulted for specific requirements.

NFPA Designation 704

Degree of Hazard

4 = Extreme 1 = Slight

3 = High0 = Insignificant 2 = Moderate

0 (Blue) 1 0 Instability (Yellow) Special Hazard

Health

Flammability

(Red)

HMIS RATING: Health 1, Flammability 0, Physical Hazard 0, Personal Protection B

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name/Identity: Recommended Use:

Manufacturer: Address:

Emergency Number:

Telephone:

Desco Industries, Inc. One Colgate Way Canton, MA 02021 781-821-8370 781-821-8370

Cleaner, Floor

SECTION 2 — HAZARDS IDENTIFICATION

Classification:

Acute toxicity (Oral)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/ eyeirritation	Category 2A
Reproductive toxicity	Category 2
Specific target organ toxicity (Single exposure)	Category 2 (nervous system)
Specific target organ toxicity (Repeated exposure)	Category 2 (nervous system, kidney)
Hazardous to the aquatic environment (acute)	Category 3
Hazardous to the aquatic environment (Long-term)	Category 3

Statguard[®] Dissipative Neutral Floor Cleaner

Labelling:

Ρ

	Symbol:	Health Hazard, Exclamation Point		
	Signal word:	Warning.		
	Hazard statement:	Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. May cause damage to organs (nervous system). May cause damage to organs through prolonged or repeated exposure (nervous system, kidney). Harmful to aquatic life. Harmful to aquatic life with long lasting effects.		
Precautionary statements				
		 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF exposed/if you feel unwell: Call a POISON CENTER or doctor/physician. IF concerned: Get medical advice/attention. 		
	DESCO INDUSTRIES INC. • 3651 Walnut Avenue, Chino, CA 91710 • (909) 627-8178 • Web Site: Descolndustries.com			

TB-7041 Page 3 of 7

	Take off contaminated clothing and Obtain special instructions before Do not handle until all safety preca Do not breathe dust/fume/gas/mist Use personal protective equipmen Store locked up. Avoid release to the environment.	bughly after handling. clothing/eye protection/face protection. d wash before reuse. use. autions have been read and understood. t/vapors/spray. ht as required.
SECTION 3 — COMPOSITION/INFOR	MATION ON INGREDIENTS	
Hazardous Ingredients:	CAS No. W	/eight (%)
Trade Secret 120505MA106	5	- 25 %
SECTION 4 — FIRST AID MEASURE	S	
Eye Contact:		nutes. Remove contact lenses, if present If eye irritation persists: Get medical advice/
Skin Contact:	Wash with soap and water. If skin attention.	irritation occurs: Get medical advice/
Ingestion:	Rinse mouth. DO NOT induce von or esophagus. Contact a physiciar	niting, may cause damage to mouth, throat, n.
Inhalation:	Move subject to fresh air. Get med	dical advice/attention.
SECTION 5 — FIRE FIGHTING MEAS	SURES	
Proper Extinguishing Media:	The product is not flammable. Exti Surrounding fire.	inguish fire using media suitable for
Protective Clothing:	Wear appropriate protective clothin	ng.
Specific Hazards:	Components of this product may d fumes and toxic gases.	decompose in a fire and produce irritating
SECTION 6 — ACCIDENTAL RELEA	SE MEASURES	
Personal Precautions:	Wear protective clothing as require	ed.
Environmental Precautions:	Keep spills and cleaning runoffs or water.	ut of municipal sewers and open bodies of
Waste Disposal Method:	Discard this material according to	local, state, and federal regulations.
Clean Up:	Soak up with sawdust, sand, or otl up. Flush spill area with water. Pro	her absorbent material. Shovel or sweep operly dispose of solid waste.
Other Precautions:	Mop up spills immediately. Wet flo	or may present slip hazard.
SECTION 7 — HANDLING AND STO	RAGE	
Handling:	smoke while handling this product.	d breathing vapors. Do not eat, drink, or Keep containers closed when not in use. led with care. Avoid from freezing. For y.
DESCO INDUSTRIES INC. • 3651 Walnut Avenue, Chino, CA 91710 • (909) 627-8178 • Web Site: Descolndustries.com		

Storage:	Storage temperature: Max. 120°F (49°C) - 34°F (1°C) Other Precautions: Keep from freezing. Keep out of reach of children.	
SECTION 8 — EXPOSURE CONTROL	/ PERSONAL PROTECTION	
Ventilation:	Provide general clean air dilution or local exhaust ventilation in volume and pattern to prevent air contaminant concentration build-up.	
Protective Gloves:	If there is potential for prolonged or repeated skin contact, wear gloves for the duration of anticipated exposure.	
Eye Protection:	Avoid contact with eyes. Use safety eye wear with splash guards or side shields.	
Other Protective Equipment:	None normally required. If unable to avoid prolonged or repeated contact with skin, wear protective clothing.	
Work/Hygienic Practices:	Wash hands before eating, smoking, or using washroom facilities.	
SECTION 9 — PHYSICAL AND CHEM	ICAL PROPERTIES	
Form: Color: Odor Odor Threshold: pH: Boiling Point: Melting Point: Specific Gravity (H ₂ O = 1): Flash Point: Flammability Limits: (vol. % in air) Solubility in Water: Vapor Pressure (mmHg): Vapor Density (air=1): Density at 20°C: Specific Gravity (H20=1): Flammability: Ignition Temperature: Decomposition temperature: Evaporation Rate: Partition Coefficient: VOC: *This product meets VOC requirements Subchapter 8.5, Article 2, Section 94505	Liquid. Clear, green liquid. N/A. N/A. 6.5-7.5 212°F (100°C) 32°F (0°C) 1.0 - 1.2 Noncombustible. N/A. N/A. N/A. N/A. N/A. N/A. 1.0-1.2 Classification according to EC-regulations "non-flammable". N/A	
SECTION 10 — STABILITY AND REA	CTIVITY	
Stability/Reactivity:	Stable product at normal conditions.	
Conditions to Avoid:	Temperatures above 120°F (49°C) Below: 34°F (1°C)	
Materials to Avoid:	Avoid contamination with strong acids and oxidizing agents.	
Hazardous Decomposition/Byproducts:	Thermal decomposition may yield carbon monoxide.	
SECTION 11 — TOXICOLOGICAL INF	ORMATION	
Toxicity Data		
Values for Trade Secret 120505MA106.		
Skin-Rabbit: Eye-Rabbit: Skin Sensitization:	Irritating. Moderately Irritating. Negative in Buehler Test.	
DESCO INDUSTRIES INC. • 3651 Walnut Avenue, Chino, CA 91710 • (909) 627-8178 • Web Site: Descolndustries.com		

Mutagenicity:	Negative in in-vitro chromosome aberration test; Negative in Ames test.	
LD ₅₀ (Oral - Rat): LC ₅₀ (Inhalation - Rat): LD ₅₀ (Dermal - Rat): > Target Organ Systemic Toxicity:	710 mg/kg 5.53 mg/L/4 hr 2000 mg/kg Oral NOAEL (No Observed Adverse Effect Level) 3.05 mg/kg; Inhalation NOAEL 0.00269	
Acute Toxicity		
Inhalation:	Inhalation of mists or sprays may irritate the nose, throat, and other tissues of the respiratory system.	
Eye Contact:	Eye irritant. Symptoms include pain and reddening of the eye tissue.	
Skin Contact:	Skin irritant. May cause itching, pain, and reddening.	
Ingestion:	Ingestion may cause rash, ringing in the ears, nausea, vomiting, diarrhea, difficulty speaking, drowsiness, twitching, visual disturbances, coma, and kidney damage.	
Chronic Toxicity		
Skin contact:	Repeated exposure can lead to dermatitis (dry, red skin).	
Inhalation/Ingestion:	May cause rash, ringing in the ears, nausea, vomiting, diarrhea, difficulty speaking, drowsiness, twitching, visual disturbances, coma, kidney damage, thyroid effects, irregular heartbeat, low blood pressure, loss of appetite, and circulatory failure.	
Target Organs		
Acute:	Eyes, Skin, Central Nervous System.	
Chronic:	Skin, Central Nervous System, Kidneys, Thyroid, Reproductive System.	
SECTION 12 - ECOLOGICAL INFOR	RMATION	
Mobility:	The product is aqueous and will be separated in aqueous conditions.	
Degradability:	N/A.	
Bioaccumulation:	Not likely.	
Ecotoxicity:	None known.	
Reference to BimSchV:	N/A.	
Hazard Classification:	None hazardous.	
SECTION 13 — DISPOSAL CONSIDE	RATIONS	
Product:	No special precautions. Dispose of according to all federal, state and Local regulations.	
SECTION 14 — TRANSPORT INFORI	MATION	
This product is not classified for transpo-	ort under ADR/IMDG regulations.	
SECTION 15 — REGULATORY INFO	RMATION	
Physical/Chemical Indication:	Non-flammable.	
Risk-phrase:	(R36/38): irritates eyes and skin.	
Safety Phrase:	(S2): keep away from children. (S7): keep containers well closed.	
DESCO INDUSTRIES INC. • 3651 Walnut Avenue, Chino, CA 91710 • (909) 627-8178 • Web Site: Descolndustries.com		

	(S24/25): avoid contact with skin and eyes. (S26): In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.	
EINECS Status:	All components are included in the EINECS inventories.	
SARA 313 Regulated Chemical(s):	This material does not contain any chemical components with know CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
International Inventories at CAS# Level	: All components of this product are listed on the following inventories: U.S.A (TSCA), Canada (DSL\NDSL).	
California Proposition 65:	This product is not subject to the reporting requirements under California's Proposition 65.	
WHIMIS:	This product has been classified according to the hazard criteria of the CPR and the SDS contains all the information required by the CPR.	
SECTION 16 — OTHER INFORMATION		
HMIS RATING:	Health 1, Flammability 0, Physical Hazard 0, Personal Protection B	
NFPA RATING:	Special Hazard: N/A, Health: 1, Flammability: 0, Instability: 0	

SDS Updated:

2015-04-09

Disclaimer

OTHER INFORMATION: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Such information is to the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as to the suitableness and completeness of such information for his own particular use.

DESCO INDUSTRIES INC. • 3651 Walnut Avenue, Chino, CA 91710 • (909) 627-8178 • Fax (909) 627-7449 • Web Site: http://www.DescoIndustries.com